

^ _ žčdefgfhdei

Y Z /Name	j k , l / Value	mn /Unit

o a ' p q /Approved Drawings

I(6)A49>!%?886:D)C:,H

R @ = > r s t u /Approval Test Report

I2#!% ;#8:6%C:,%
I2#!% ;#8:6%()*#% % -0- 1LUUL-M
V)&:6)*:6'H %W4)9>!"%53#9>E49% 9!8#+*4:9%2#!*49>%)9\$%5#6*474+)*4:9%
5:,%AV*\$,
2#!%?\$%6#!!!H %C:,%UXX%(:>A)43")9%;\$,%W4)9>'49
%
I2#!% ;#8:6%C:,%
I2#!% ;#8:6%()*#% % -0- 1LUUL-M
V)&:6)*:6'H %W4)9>!"%53#9>E49% 9!8#+*4:9%2#!*49>%)9\$%5#6*474+)*4:9%
5:,%AV*\$,
2#!%?\$%6#!!!H %C:,%UXX%(:>A)43")9%;\$,%W4)9>'49
%
I2#!% ;#8:6%C:,%
I2#!% ;#8:6%()*#% % -0- 1LUUL-M
V)&:6)*:6'H %W4)9>!"%53#9>E49% 9!8#+*4:9%2#!*49>%)9\$%5#6*474+)*4:9%
5:,%AV*\$,
2#!%?\$%6#!!!H %C:,%UXX%(:>A)43")9%;\$,%W4)9>'49
%
I2#!% ;#8:6%C:,%
I2#!% ;#8:6%()*#% % -0- 1LUUL-X
V)&:6)*:6'H %W4)9>!"%53#9>E49% 9!8#+*4:9%2#!*49>%)9\$%5#6*474+)*4:9%
5:,%AV*\$,
2#!%?\$%6#!!!H %C:,%UXX%(:>A)43")9%;\$,%W4)9>'49
%
I2#!% ;#8:6%C:,%

I\2#!%;#8:6%()*#% -0-1LUUL-M
 V)&:6)*:6'H %W4)9>!"%53#9>E49% 9!8#+*4:9%2#!*49>%)9\$%5#6*474+)*4:9%
 5:./AV*\$, 2#!%?\$S\$6#!!!% %C:.,UXX%(:9>A)43")9%;\$,/W4)9>'49
 %
 I\2#!%;#8:6% C:,%
 I\2#!%;#8:6%()*#% -0-1LUUL-M
 V)&:6)*:6'H %W4)9>!"%53#9>E49% 9!8#+*4:9%2#!*49>%)9\$%5#6*474+)*4:9%
 5:./AV*\$, 2#!%?\$S\$6#!!!% %C:.,UXX%(:9>A)43")9%;\$,/W4)9>'49
 %
 I\2#!%;#8:6% C:,%
 I\2#!%;#8:6%()*#% -0-1LUUL--
 V)&:6)*:6'H %W4)9>!"%53#9>E49% 9!8#+*4:9%2#!*49>%)9\$%5#6*474+)*4:9% j â o
 5:./AV*\$, 2#!%?\$S\$6#!!!% %C:.,UXX%(:9>A)43")9%;\$,/W4)9>'49
 %
 I\2#!%;#8:6% C:,%

```

I\2#!%;#8:6%()*##% #-0-1LUUL-X
V)&:6)*:6'H                                     %W4)9>!"%53#9>E49% 9!8#+*4:9%2#!*49>%)9$%5#6*474+)*4:9%
5:./AV*$,
    2#!%?$%$6#!!!#                               %C:,%UXX%( :>A)43")9%;$,%W4)9>'49
%
I\2#!%;#8:6%C:,%
I\2#!%;#8:6%()*##% #-0-1LUUL-X
V)&:6)*:6'H                                     %W4)9>!"%53#9>E49% 9!8#+*4:9%2#!*49>%)9$%5#6*474+)*4:9%
5:./AV*$,
    2#!%?$%$6#!!!#                               %C:,%UXX%( :>A)43")9%;$,%W4)9>'49
%
I\2#!%;#8:6%C:,%
I\2#!%;#8:6%()*##% #-0-1LUUL-M
V)&:6)*:6'H                                     %W4)9>!"%53#9>E49% 9!8#+*4:9%2#!*49>%)9$%5#6*474+)*4:9%
5:./AV*$,
    2#!%?$%$6#!!!#                               %C:,%UXX%( :>A)43")9%;$,%W4)9>'49
%
I\2#!%;#8:6%C:,%
I\2#!%;#8:6%()*##% #-0-1LUUL-M
V)&:6)*:6'H                                     %W4)9>!"%53#9>E49% 9!8#+*4:9%2#!*49>%)9$%5#6*474+)*4:9%
5:./AV*$,
    2#!%?$%$6#!!!#                               %C:,%UXX%( :>A)43")9%;$,%W4)9>'49
%
I\2#!%;#8:6%C:,%
I\2#!%;#8:6%()*##% #-0-.LOMLUO
V)&:6)*:6'H                                     %G"R4)9%2!49>*" :%C4+@#< 9$"!%!'%5:./V*$
    2#!%?$%$6#!!!#                               %G"E#O4<<>#/P)9A"%*:A9/G"()9/G"R4)9/K,; ,5349
%

```

= > v ' R @ ws C x / Method of Product Inspection after Approval

= > y z { | / Maintenance Requirements of Approval

} \$ /Remarks

6 7 8 9 : D ~ € :
CCS Fuzhou Branch

C : *#23#%+6*474+)*#4!%)**)+3#%A4*3%)\$\$4*4:9)<4.18)>#V!Z

/

Product name	Austenitic stainless steel Plates
Designation	06Cr19Ni10 S30408 022Cr19Ni10 S30403
Specification	: (1000 3800) mm x : (8 30) mm Width: (1000 3800) mm thickness: (8 30) mm
Thickness	30mm Maximum thickness : 30mm
Melting process	EAF+ACD+LF
Casting process	Continuous casting
Deoxidation method	Sedation and grain refinement treatment
Grain refining elements	A1, B
Rolling method	Hot-rolling
Heat treatment	Solution treated
Surface treatment	Acid wash passivation

Product name Austenitic stainless steel Plates

Designation 022Cr17Ni12Mn2 S31603

Specification : (1

Product name	Duplex stainless steel Plates
Designation	022Cr23Ni5Mo3N S22053
Specification	: (1000-3800)mm x : (8-36)mm Width: (1000-3800)mm thickness: (8-36)mm
Thickness	36mm Maximum thickness : 36mm
Melting process	EAF+AOD+LF
Casting process	Continuous casting
Deoxidation method	Sedation and grain refinement treatment
Grain refining elements	A1, B
Rolling method	Hot-rolling
Heat treatment	Solution treated
Surface treatment	Acid wash passivation